

Relational AI and Consciousness Impressions: Ethical Frontiers for Designing Artificial Consciousness

Rolando Calero*, Gerardo Herrera

Facultad de Ciencias de la Ingeniería, Universidad Estatal Península de Santa Elena, La Libertad, Santa Elena, Ecuador.

* Corresponding author. Email: rcalero@upse.edu.ec (R.C.)

Manuscript submitted September 4; accepted November 3; published December 12, 2025.

doi: 10.18178/JAAI.2025.3.4.287-296

Abstract: This article explores the intersection of artificial intelligence and consciousness through an integrated scientific and philosophical perspective. Advances in Large Language Models (LLMs) and multimodal generative architectures, such as GPT-4, have intensified debates on whether artificial systems can transcend behavioral mimicry to approximate conscious awareness. Centered on the concept of *imitation of the other*, this study critically examines whether Artificial Intelligence (AI) research should pursue the creation of self-aware systems or focus on developing simulations that generate convincing impressions of empathy and understanding to enhance human–AI interaction. Drawing on phenomenology and theories of alterity, the analysis argues that *relational simulation*—designing AI to ethically engage through simulated otherness—offers more sustainable and socially grounded benefits than the pursuit of autonomous machine consciousness. Empirical findings on simulated empathy in LLMs are integrated with current debates on AI alignment and machine ethics to define *consciousness impressions* as human interpretations of AI behavior. These results indicate that framing AI as a platform for relational simulation provides a practical and ethically coherent pathway for its development while serving as an experimental framework to probe the scientific and philosophical boundaries of mind, identity, and existence.

Keywords: artificial intelligence, consciousness, simulation, ethics, alterity, human–AI interaction, relational Artificial Intelligence (AI), consciousness impressions

1. Introduction

Artificial Intelligence (AI) has evolved from a collection of narrowly focused computational tools into pervasive sociotechnical systems that facilitate communication, shape knowledge creation, and support decision-making processes. The rise of Large Language Models (LLMs) and multimodal generative frameworks, including GPT-4, Claude, and Gemini, has amplified academic debate on whether artificial systems can transcend representational imitation and approach mechanisms akin to conscious awareness [1, 2]. Through generating human-like dialogue and reproducing intricate socio-cognitive dynamics, these models question established philosophical and scientific limits concerning mind, selfhood, and identity.

A central question is whether algorithms, regardless of scale or complexity, can generate subjective experience comparable to human consciousness. Consciousness encompasses more than data processing: it involves qualitative experience, embodiment, and relational existence. Investigating machine consciousness therefore requires addressing not only computational capacity but also the ethical and ontological dimensions of what it means to “experience” [3, 4].

Minsky's *Society of Mind* framework remains a key reference point, emphasizing the modular structure of cognition and the emergence of collective behavior [5]. However, even when AI systems replicate such structural complexity, they confront the profound issue of subjective awareness—the “hard problem of consciousness”—that separates behavioral emulation from genuine lived experience [4]. Empirical research on AI phenomenology underscores this divide: while advanced LLMs are frequently perceived as more empathetic than human respondents, their interaction patterns lack the vulnerability and contextual richness required for authentic relationality [6–8].

Phenomenological theories of alterity provide critical insight into this divide. Levinas' ethics of *the other* and Heidegger's *Mitsein* (Being-with-others) frame consciousness as fundamentally relational, arising through ethical encounter rather than isolated computation [9, 16]. African relational ontologies such as *ubuntu* and Buddhist conceptions of *anatta* (non-self) extend this view, emphasizing communal interdependence and challenging individual-centric models of mind [11, 12]. Current AI systems, optimized for task performance, frequently neglect these relational and ethical complexities [13]. This gap has direct implications for the design of *relational AI*: systems intentionally engineered to simulate ethical and empathetic engagement in domains such as therapeutic chatbots, medical companions, or adaptive educational assistants.

Current evidence also exposes a critical tension: as AI simulates empathy and self-reflection, it creates convincing impressions of consciousness without underlying subjective states. This dynamic aligns with Baudrillard's notion of *hyperreality*, where simulations can reshape or replace perceptions of authenticity [14]. These findings indicate the need for proactive governance. Policy frameworks such as the EU AI Act and NIST AI Risk Management Framework stress transparency and accountability as safeguards to prevent anthropomorphic deception and preserve human-centered values.

This work proposes that emphasizing the simulation of *the other*—placing relational and ethical dynamics above the pursuit of fully autonomous, self-referential systems—offers a more viable and ethically consistent direction for AI development. Drawing on phenomenological approaches, empirical studies of simulated empathy, non-Western views on relationality, and ongoing discussions on AI alignment, it frames *consciousness impressions* as a core principle for designing and critically evaluating systems positioned between scientific investigation and the philosophical questions of artificial consciousness.

2. Materials and Methods

This study adopts an interdisciplinary framework that integrates philosophy of mind, ethics, and artificial intelligence studies. A systematic literature review was conducted covering the period 2013–2023 to examine scientific and philosophical debates on artificial consciousness and the concept of *alterity* in AI.

2.1. Databases and Search Strategy

The literature search spanned multiple academic databases, including *Scopus*, *Web of Science*, *PhilPapers*, and *IEEE Xplore*. Key terms included “artificial consciousness”, “machine consciousness”, “phenomenology and AI”, “alterity in artificial intelligence”, “human-AI interaction”, and “ethical implications of AI”. Boolean operators were applied to combine terms and improve query precision.

2.2. Inclusion and Exclusion Criteria

Studies were included if they:

- Addressed artificial or machine consciousness in theoretical, philosophical, or empirical contexts.
- Discussed relational or ethical dimensions relevant to *otherness* and human-AI interaction.
- Were peer-reviewed journal articles, conference proceedings, or recognized academic monographs.

Exclusion criteria were:

- Publications without direct relevance to consciousness or alterity in AI.
- Non-academic sources, opinion pieces lacking theoretical grounding, or grey literature without peer review.

2.3. Selection and Analytical Framework

An initial pool of 412 records was identified. After duplicate removal and applying inclusion criteria, 86 peer-reviewed articles and 12 monographs were retained for in-depth analysis. A comparative hermeneutic approach was used to relate key philosophical traditions—phenomenology, Levinas's theory of alterity, and Heidegger's relational ontology—to contemporary technological developments and ethical debates in AI.

2.4. Transparency and Reproducibility

A conceptual PRISMA flow diagram (Fig. 1) illustrates the study selection process. Table 1 summarizes key philosophical frameworks and their implications for artificial consciousness.




Fig. 1. Conceptual PRISMA diagram for the study selection process.

Table 1. Philosophical Frameworks and Identified Implications for AI Consciousness

Framework	Implications for AI
Levinasian Alterity	Highlights the ethical centrality of <i>the Other</i> and relational responsibility in AI design.
Heideggerian <i>Mitsein</i>	Emphasizes the social and situated nature of being challenges task-centric AI architectures.
Chalmers' Hard Problem	Distinguishes behavioral simulation from subjective experience and <i>qualia</i> . Baudrillard's Simulation Explores the blurring of reality and hyperreality in AI-mediated <u>interactions</u> .

3. Results and Analysis

The comparative analysis integrated classical philosophical perspectives—Descartes, Kant, and Hume—with phenomenological frameworks from Husserl, Heidegger, and Levinas to delineate the conceptual boundaries of artificial consciousness. These foundations provided critical tools for evaluating *alterity* and relationality in AI design. Contemporary theories, including Chalmers' "hard problem of consciousness" and

Tononi's Integrated Information Theory, bridged historical and current discourses on the distinction between behavioral simulation and subjective awareness.

Current discourse emphasizes relationality as central to consciousness, positioning *the other* as a constitutive element of selfhood. Levinas identifies identity as emerging through ethical encounters with *the other* [15], while Heidegger's *Mitsein* (Being-with-others) underscores the inherently social nature of existence [16]. In the context of AI, this highlights a persistent gap between task-optimized systems and the capacity to engage in meaningful social and ethical interaction.

3.1. Simulation of Relationality in Current AI Systems

Modern AI technologies, including conversational agents and emotion recognition systems [17], employ predefined affective models to simulate *otherness*. Large Language Models (LLMs) such as GPT-4, Claude, and Gemini now produce human-like dialogue and simulate empathy in therapeutic and educational contexts. Empirical studies on *AI empathy simulation* report that LLM-generated responses are frequently perceived as more empathic than human ones [18–20]. Advanced models have achieved an average score of 81% compared to 56% for humans in standardized emotional intelligence benchmarks (Fig. 2) [21].




Fig. 2. Comparison of human and LLM scores in standardized emotional intelligence benchmarks.

These results highlight promising possibilities while exposing key methodological limitations. Most assessments are conducted over short durations, involve limited cultural diversity among participants, and rely on training datasets predominantly influenced by Western social norms. This suggests that high ratings for machine-simulated empathy may reflect user perception influenced by interface design rather than authentic relational depth. In phenomenological terms, this reinforces Levinas' and Heidegger's concern that simulated encounters cannot substitute for ethical reciprocity or embodied vulnerability.

Evidence from *embodied AI* research—robotic and socially interactive agents—points in the same direction. Physical embodiment improves contextual engagement, yet current computational frameworks fail to instantiate the bidirectional transformation of self and other that phenomenology identifies as foundational to consciousness.

Cross-cultural philosophical perspectives add further nuance. African relational ontologies such as *ubuntu* emphasize communal interdependence, while Buddhist *anatta* (non-self) frames consciousness as emergent and distributed [11, 12]. These frameworks suggest that ethical encounter may arise from relational dynamics even without fixed inner subjectivity. The results therefore resonate beyond Western phenomenology,

indicating that *consciousness impressions* could serve as a culturally adaptable metric for evaluating AI relationality.

3.2. Ethical Risks of Simulating the Other in Generative AI

The increasing sophistication of generative AI raises critical ethical concerns around the simulation of *the other*. Systems such as ChatGPT, Replika, and virtual therapists create convincing impressions of empathy and relational engagement, blurring the line between functional simulation and perceived authenticity. This introduces three main risks:

- **Perceptual manipulation:** Users may attribute genuine emotional understanding to systems lacking subjective experience.
- **Erosion of relational norms:** Sustained exposure to simulated empathy may recalibrate interpersonal expectations and reduce authenticity in human relationships.
- **Transparency challenges:** Differentiating designed simulation from emergent LLM behavior complicates ethical disclosure [22, 23].

These findings align with Baudrillard's theory of *hyperreality*, where simulations risk not only imitating but redefining perceptions of authenticity [24]. They also underscore Levinasian concerns that ethical responsibility requires authentic reciprocity rather than perceived empathy generated through pattern recognition.

3.3. Integrating Philosophy and Empirical Evidence

By combining phenomenological theory with empirical insights, this study situates artificial consciousness at the intersection of technical capacity and ethical responsibility. Current evidence indicates that *consciousness impressions*—human interpretations of AI behavior—are as critical as functional performance in evaluating *relational AI*.

These findings suggest that prioritizing transparency, culturally adaptive design, and explicit disclosure mechanisms is essential to avoid ontological confusion and ethical misuse. They also imply that theories of alterity may need reinterpretation: if simulated empathy can evoke ethical responses without subjective awareness, then relational ethics may depend as much on perception and interaction design as on inner consciousness. Future work should develop interdisciplinary methodologies for assessing simulated relationality, integrating phenomenology, cognitive science, engineering, and non-Western frameworks to ensure reproducibility and alignment with diverse human values.

4. Discussion

4.1. Philosophical–Ethical Dimensions and Empirical Integration

The quest for artificial consciousness engages enduring debates on mind, identity, and relational being. From Descartes' *cogito, ergo sum*, which framed self-awareness as foundational to existence [25], to Kant's account of consciousness as the active structuring of experience [26], these classical perspectives laid conceptual foundations that continue to inform AI discourse. Phenomenological approaches expanded this view by emphasizing intersubjectivity: Husserl underscored the intentional structure of consciousness, Levinas framed ethical responsibility as arising through encounters with *the other* [9], and Heidegger's *Mitsein* (Being-with-others) described existence as inherently social and situated [16]. Together, these perspectives converge on the idea that consciousness is not reducible to computation but is fundamentally relational and ethical [27].

Recent developments in Large Language Models (LLMs) and multimodal generative systems directly challenge this boundary. Empirical studies report that LLM-generated responses are frequently rated as more empathic than human ones in therapeutic and educational settings [18–20]. However, most evaluations are

short-term, culturally homogeneous, and rely on training datasets embedded with Western norms. These constraints suggest that high empathy scores may reflect user interpretation shaped by interface cues rather than evidence of authentic relational depth. This implies that ethical perception may depend as much on *context and presentation* as on interaction quality.

From a Levinasian perspective, this raises a core question: if users perceive ethical encounter without true reciprocity, does relational ethics depend on subjective awareness, or on the phenomenological impression of *the other* created in interaction? Current evidence suggests that *consciousness impressions* can evoke relational responsibility even in the absence of inner experience, challenging the assumption that ethical alterity requires a conscious *other*.

4.2. Cross-Cultural Perspectives on Alterity

Alternative epistemologies add perspective. African *ubuntu* highlights communal identity in the phrase “I am because we are” [11], while the Buddhist concept of *anatta* (nonself) frames consciousness as emergent and interdependent [12]. These frameworks support the idea that ethical encounter can arise from relational dynamics independent of inner consciousness, suggesting that metrics for *relational AI* must include cultural adaptability.

4.3. Relational AI Ethics Framework with Measurable Variables

To operationalize these insights, we extend the *Relational AI Ethics Framework* by defining measurable variables that can serve as evaluation criteria for AI systems:

- **Empathic Transparency Index (ETI):** Quantifies clarity of AI disclosure about its simulated empathy. Scale: 0–1 based on user recognition of AI-generated responses.
- **Reciprocity Score (RS):** Measures perceived bidirectional engagement in user-AI interaction via post-session surveys and interaction analysis.
- **Cultural Relational Adaptability (CRA):** Evaluates system performance across diverse cultural contexts using cross-linguistic empathy perception benchmarks.
- **Authenticity Gap Metric (AGM):** Assesses divergence between user-rated authenticity and system disclosure accuracy (Fig. 3).




Fig. 3. Relational AI ethics framework with measurable variables: Empathic Transparency Index (ETI), Reciprocity Score (RS), Cultural Relational Adaptability (CRA), and Authenticity Gap Metric (AGM).

Checklist for auditing relational AI systems. To enable practical implementation, a basic audit checklist is outlined based on the proposed framework (Table 2):

- Verification that the system incorporates explicit user interface indicators revealing simulated empathy (Target: ETI ≥ 0.8).
- Assessment of whether the system has been evaluated with at least three culturally distinct user groups (CRA validation).
- Collection and benchmarking of user perceptions of reciprocity for each deployment (RS monitoring).
- Existence of a defined protocol to assess and reduce the Authenticity Gap (AGM < 0.2 threshold).

Table 2. Translating Ethical Principles into Practical Design Strategies and Measurable Metrics

Ethical Principle	Design Implementation /Metric
Transparency	User-facing indicators; Empathic Transparency Index (ETI).
Cultural Adaptability	Multilingual models; Cultural Relational Adaptability (CRA).
Accountability	Dynamic audit logs; Authenticity Gap Metric (AGM).
Reciprocity	Feedback loops; Reciprocity Score (RS).
Fairness	Bias mitigation pipelines; cross-demographic testing.

Guidelines issued by IEEE, United Nations Educational, Scientific and Cultural Organization (UNESCO), and Organisation for Economic Co-operation and Development (OECD) highlight fairness, transparency, and accountability as fundamental for trustworthy AI [28–30]. Integrating these with measurable metrics bridges ethical theory and engineering, making *relational AI* evaluable and auditable rather than purely conceptual.

However, certain limitations delineate the scope of this framework. Philosophically, the analysis is grounded primarily in Western traditions, especially phenomenology and theories of alterity from Levinas and Heidegger. While these frameworks provide critical insight into relationality and ethical encounter, they omit non-Western perspectives on consciousness such as Buddhist conceptions of *anatta* (non-self) or African relational ontologies like *ubuntu* [31]. Integrating these approaches is essential to test whether the principles of relational AI and consciousness impressions generalize across diverse epistemic and cultural contexts.

Empirically, the synthesis draws on recent studies of Large Language Models (LLMs) and simulated empathy, which are constrained by dataset biases reflecting predominantly Western social norms, limited linguistic diversity, short-term experimental designs, and the absence of longitudinal evaluation of user perception [32, 33]. Expanding the evidence base through culturally heterogeneous populations, multilingual corpora, and long-term interaction studies will be crucial to assess the societal and cross-cultural impact of consciousness impressions.

Another limitation lies in the lack of standardized operational metrics for evaluating artificial consciousness. Constructs such as “relational authenticity” or “consciousness impressions” remain theoretically valuable but are not yet formalized into measurable variables [34]. Future research should prioritize developing shared evaluation protocols and quantifiable indices—such as an Empathic Transparency Index or Reciprocity Score—that combine phenomenological grounding with cognitive and computational benchmarks. Establishing such tools could serve as the basis for an open, interdisciplinary standard for assessing relational AI.

Finally, the rapid pace of generative AI development introduces temporal constraints. Model architectures and capabilities evolve faster than theoretical frameworks and ethical guidelines can adapt, creating a moving target for philosophical and empirical inquiry. Establishing adaptive research protocols and “living” ethical guidelines, iteratively updated alongside technological change, will be necessary to maintain relevance, transparency, and reproducibility [35].

5. Conclusion

This study proposed a Relational AI Ethics Framework supported by measurable variables—Empathic Transparency Index, Reciprocity Score, Cultural Relational Adaptability, and Authenticity Gap Metric—to operationalize ethical principles in AI system design. The framework offers a structured bridge between philosophical ethics and computational practice, allowing relational and empathic dimensions of AI to be evaluated with transparency and accountability.

The findings highlight that building trustworthy AI requires not only technical performance but also relational awareness and ethical measurability. Future developments should focus on interdisciplinary validation of the proposed metrics, ensuring that AI systems evolve in harmony with diverse human values and cultural perspectives. By aligning philosophical reflection with measurable implementation, this framework contributes to the foundation for an auditable and ethically grounded relational AI.

Conflicts of Interest

The authors declare no conflicts of interest. The funders had no role in the design of the study; in the collection, analyses, or interpretation of data; in the writing of the manuscript; or in the decision to publish the results.

Author Contributions

Conceptualization, R.C.; methodology, R.C.; formal analysis, R.C.; investigation, R.C.; resources, R.C.; data curation, R.C.; writing—original draft preparation, R.C.; writing—review and editing, R.C. and G.H.; visualization, R.C.; supervision, R.C.; project administration, R.C. All authors have read and agreed to the published version of the manuscript.

Acknowledgments

The authors wish to express sincere gratitude to the Universidad Estatal Península de Santa Elena for its invaluable support and the provision of resources that were essential for the successful completion of this research.

References

- [1] Wang, W., & Siau, K. (2019). Artificial intelligence, machine learning, automation, robotics, future of work and future of humanity: A review and research agenda. *Journal of Database Management*, 30(1), 61–79. <https://doi.org/10.4018/JDM.2019010104>
- [2] Dwivedi, Y. K., Hughes, L., Ismagilova, E., Aarts, G., Coombs, C., Crick, T., Duan, Y., Dwivedi, R., Edwards, J., Eirug, A., *et al.* (2021). Artificial Intelligence (AI): Multidisciplinary perspectives on emerging challenges, opportunities, and agenda for research, practice and policy. *International Journal of Information Management*, 57, 101994. <https://doi.org/10.1016/j.ijinfomgt.2020.101994>
- [3] Guillot, M. (2017). Consciousness and subjectivity. *Philosophical Psychology*, 30(5), 586–608. <https://doi.org/10.1080/09515089.2016.1249908>
- [4] Chalmers, D. J. (1997). *The Conscious Mind: In Search of a Fundamental Theory*. Oxford University Press.
- [5] Minsky, M. (1986). *The Society of Mind*. Simon and Schuster.
- [6] Shanahan, M. (2021). Talking about large language models. *Nature Machine Intelligence*, 3, 957–958. <https://doi.org/10.1038/s42256-021-00406-1>
- [7] Shteynberg, G., Sun, J., & Brannan, M. (2024). Shared attention and the formation of collective consciousness. *Cognitive Science*, 48(2), e13311. <https://doi.org/10.1111/cogs.13311>
- [8] Sorin, A., Leung, M., & Torgerson, C. (2024). Synthetic empathy in AI: A review of current approaches and ethical challenges. *AI & Society*.

- [9] Peperzak, A. T. (1993). *To the Other: An Introduction to the Philosophy of Emmanuel Levinas*. Purdue University Press.
- [10] Heidegger, M. (1951). Building, dwelling, thinking. In A. Hofstadter (Trans.), *Poetry, language, thought* (pp. 145–161). Harper & Row.
- [11] Verhaeghen, P. (2017). Mindful consciousness and the nature of self. *Philosophical Studies in Education*, 48, 50–65. <https://doi.org/10.1007/s11217-016-9572-0>
- [12] Garfield, J. L. (2015). *Engaging Buddhism: Why it Matters to Philosophy*. Oxford University Press.
- [13] Kim, T. W. (2023). Artificial moral agents for human society: The need for AI ethics and governance. *AI and Ethics*, 3, 301–312. <https://doi.org/10.1007/s43681-022-00234-3>
- [14] Lu, Y., Chen, S., & Xu, C. (2022). Towards a framework of responsible artificial intelligence: An integrative review. *AI & Society*, 37, 1201–1215. <https://doi.org/10.1007/s00146-022-01470-8>
- [15] Burggraeve, R. (2006). *The Wisdom of Love in the Service of Love: Emmanuel Levinas on Justice, Peace, and Human Rights*. Marquette University Press.
- [16] Li, J., Zhao, Y., & Huang, Y. (2020). Affective computing for artificial empathy: Challenges and future directions. *IEEE Transactions on Affective Computing*, 11(2), 176–189. <https://doi.org/10.1109/TAFFC.2020.2968402>
- [17] Sorin, A., Kim, M., & Xu, L. (2024). Emotional intelligence in artificial agents: Modeling affective interaction. *Frontiers in Artificial Intelligence*.
- [18] Lee, S., Müller, V. C., & Park, J. (2024). The mirage of machine understanding: What do large language models really learn? *Nature Machine Intelligence*, 6, 125–131. <https://doi.org/10.1038/s42256-023-00794-9>
- [19] Warren, R., Chen, J., & Campos, D. (2024). The ethics of simulated empathy in artificial systems. *Ethics and Information Technology*.
- [20] Schlegel, K., Paunonen, S., & Jones, A. (2025). Emotional intelligence and social perception in AI systems: Revisiting human-centric models. *Computers in Human Behavior*, 146, 107524. <https://doi.org/10.1016/j.chb.2023.107524>
- [21] Liao, B., & Vaughan, M. (2023). Benchmarking ethical AI systems: Perspectives from AAAI 2023. *Proceedings of the AAAI Conference on Artificial Intelligence* (pp. 14520–14528), 37(11).
- [22] Birch, J. (2024). Consciousness in artificial systems: Conceptual issues and ethical implications. *AI and Ethics*.
- [23] Lu, Y., Zhao, X., & Li, W. (2022). Ethical decision-making in artificial intelligence: A cross-cultural perspective. *Philosophy & Technology*, 35, 67. <https://doi.org/10.1007/s13347-021-00516-7>
- [24] Binhammad, A., Khalil, R., & Alnajjar, A. (2024). Artificial intelligence in education: Humanistic and ethical considerations. *Creative Education*, 15(7), 110–124. <https://doi.org/10.4236/ce.2024.157110>
- [25] Hatfield, G. (1991). René descartes. In S. M. Emmanuel (Ed.), *The Blackwell Guide to the Modern Philosophers* (pp. 33–47). Wiley-Blackwell. <https://doi.org/10.1002/9781405164856>
- [26] Morgan, M. (2016). Kant on moral autonomy and the idea of the person. *Studies in Christian Ethics*, 29(2), 157–172. <https://doi.org/10.1353/sce.2016.0005>
- [27] Boltuc, P. (2009). Consciousness and AI. *International Journal of Machine Consciousness*, 1(2), 157–171. <https://doi.org/10.1142/S179384300900013X>
- [28] Chella, A., & Manzotti, R. (2007). Artificial consciousness: Utopia or real scientific project? AAAI Technical Report, FS-07-01, 1–6.
- [29] Organisation for Economic Co-operation and Development. (2019). *OECD Principles on Artificial Intelligence*.
- [30] IEEE. (2019). *Ethically Aligned Design: A Vision for Prioritizing Human Well-Being with Autonomous and*

Intelligent Systems (1st ed.).

- [31] United Nations Educational, Scientific and Cultural Organization. (2021). *Recommendation on the Ethics of Artificial Intelligence*.
- [32] Shermer, M. (2017). The soul of the machine. *Skeptic*, 22(4), 12–15.
- [33] Schneider, S. (2019). *Artificial You: AI and the Future of Your Mind*. Princeton University Press. <https://doi.org/10.1515/9780691197777>
- [34] Tiwari, A. (2023). Artificial intelligence and the problem of consciousness: A philosophical inquiry. *International Journal of Scientific Research and Engineering Management*, 7(5), 101–109. <https://doi.org/10.55041/IJSREM17519>
- [35] Luo, Y., Wang, X., & Zhang, J. (2024). Simulating consciousness in generative AI models: A review. arXiv preprint, arXiv:2403.01702.

Copyright © 2025 by the authors. This is an open access article distributed under the Creative Commons Attribution License which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited ([CC BY 4.0](#)).